

# MATERIAL SAFETY DATA SHEET

Page 1

EFFECTIVE DATE: 2/20/2008

SUPERCEDES: 11/3/2007

MANUFACTURED FOR: PACIFIC PRODUX, INC  
9879 HIBERT ST. STE E  
SAN DIEGO, CA 92131  
(858) 549-9677

CHEMTEL: 1-800-255-3924

## SECTION 1: GENERAL INFORMATION

PRODUCT NAME: Triple S Dressing  
PRODUCT ID: DP549

NFPA 704  
HAZARD RATING  
4=Severe H=1  
3=Serious F=0  
2=Moderate R=0  
1=Slight  
0=Minimal

## SECTION 1A: D.O.T. SHIPPING INFORMATION

Proper Shipping Name: TIRE DRESSING  
Hazard Class: NON HAZARDOUS  
UN/NA: None  
Packaging Group: N/A

NOTE: N/A = NOT APPLICABLE

## EMERGENCY OVERVIEW

WARNING. Prolonged contact may cause irritation from defatting of tissues. Prolonged exposure to vapors can cause mild irritation. Ingestion can cause vomiting and diarrhea. Chronic inhalation may increase susceptibility to respiratory illness.

## SECTION 2: HAZARDOUS INGREDIENTS

#	INGREDIENT	CAS #	OSHA PEL (ppm or *mg.M <sup>3</sup> ) +=skin, c=ceiling	ACGIH TLV (ppm or *mg.M <sup>3</sup> ) +=skin, c=ceiling	WEIGHT %

**SECTION 3A: SARA TITLE III INFORMATION**

#	EHS RQ (LBS) 1*	EHS TPQ (LBS) 2*	SEC 313 3*	313 CATEGORY 4*	311/312 CATERGORIES 5*
1	N/A	N/A	N/A	N/A	H-1

\*1= Reportable Quantity of Extremely Hazardous Substance. Sec 302.

\*2= Threshold Planning Quantity, Extremely Hazardous Substance. Sec 302.

\*3= Toxic Chemical. Sec 313.

\*4= Required by Sec. 313 (40 CFR 372.42) used on Toxic Release Inventory Form

\*5= Hazard Category for SARA Sec. 311/312 Reporting.

HEALTH HAZARD:

PHYSICAL HAZARD:

H-1 = Immediate (acute)

P-3 = Fire

H-2 = Delayed (chronic)

P-4 = Sudden Release of Pressure

P-5 = Reactive

**SECTION 3B: CERCLA INFORMATION**

EPA - Comprehensive Environmental Response, Compensation and Liability Act. Under EPA - CERCLA (Superfund) releases to air, land or water which exceed the reportable quantity must be reported to the National Response Center, 1-800-424-8802

REPORTABLE QUANTITY FOR RELEASE (RQ) = No. However, total product may qualify as being reportable as a NAPL.

**SECTION 3C: RCRA INFORMATION**

EPA - RCRA Hazardous waste as specified in 40 CFR 261? No.

**SECTION 4: PHYSICAL/CHEMICAL DATA**

BOILING POINT : >212F

% VOLATILE: 0%

VAPOR DENSITY: 2.1

WT/GALLON: N/A

SPECIFIC GRAVITY: 0.97

SOLUBILITY: Soluble

EVAPORATION RATE: 2.83

pH:

APPEARANCE & ODOR: Blue clear liquid with a cherry odor.

## **SECTION 5: FIRE AND EXPLOSION DATA**

FLASH POINT: >200F TEST: PMCC N/A  
EXPLOSIVE LIMITS: LEL: N/A UEL: N/A

EXTINGUISHING MEDIA: Foam CO2  
UNUSUAL FIRE AND EXPLOSION HAZARDS: None.  
SPECIAL FIRE FIGHTING PROCEDURES: A straight water stream would spread fires. Use self-contained breathing apparatus with a full facepiece in pressure-demand or other positive pressure mode.

## **SECTION 6: REACTIVITY DATA**

STABILITY: Stable  
HAZARDOUS POLYMERIZATION: Will not occur.  
INCOMPATIBILITY (MATERIALS TO AVOID): Avoid strong oxidizing agents, minerals especially with conc. sulfuric or nitric acids, halogens, phosphorous trichloride, alkene oxides, acid anhydrides, aldehydes, monomers, polymerizable esters and hydrogen with palladium.  
HAZARDOUS DECOMPOSITION PRODUCTS: Normal oxidation forms carbon dioxide and water vapor. Incomplete oxidation can produce carbon monoxide.  
CONTAINERS TO AVOID: Containers may burst at elevated temperature. Do not store in aluminum vessels.

## **SECTION 7: HEALTH HAZARD (ACUTE/CHRONIC)**

CARCINOGENICITY: NTP: N IARC: N OSHA: N  
EFFECTS OF OVEREXPOSURE:  
EYES: May cause eye irritation.  
SKIN: Skin irritation.  
INHALATION: Respiratory tract irritation.  
INGESTION: May cause headache, dizziness, drowsiness, nausea and narcosis.  
CHRONIC EFFECTS AND MEDICAL CONDITIONS: None known.

## **SECTION 8: EMERGENCY AND FIRST AID**

EYES: Wash eyes with large amounts of water for 15 min. lifting upper and lower lids occasionally. If irritation persists after washing, get medical attention.  
SKIN: Wash all contaminated skin promptly with soap or mild detergent. Remove contaminated clothing and dry before reuse. If irritation persists, get medical attention.

INHALATION: Move exposed person to fresh air. Keep warm and at rest. If breathing stops give artificial respiration. If unconscious, give oxygen. Get medical attention as soon as possible.

INGESTION: Give 2 glasses water to drink and induce vomiting. Send to hospital immediately. Never give anything by mouth to an unconscious person.

## **SECTION 9: PERSONAL PROTECTIVE MEASURES**

EYE: Splash proof safety goggles should be used. Contact lenses should not be worn.

SKIN: Prolonged or frequently repeated skin contact can best be avoided by wearing impervious rubber or neoprene gloves.

RESPIRATORY PROTECTION: The vapor or mist concentrations of this material should be kept below 400 ppm. Explosion proof equipment should be used.

VENTILATION: Use adequate ventilation to keep the vapor or mist concentrations below 400 ppm. Explosion proof equipment should be used.

OTHER PROTECTIVE EQUIPMENT: Eye bath and safety showers should be available.

## **SECTION 10: SPECIAL PRECAUTIONS**

HANDLING AND STORAGE: Store in cool area away from open sparks or flame.

SPILLS AND LEAKS: Remove all possible ignition sources. Ventilate area of spill or leak. For small quantities, absorb on paper towels, evaporate in a safe place (such as fume hood.) Burn paper in a suitable location away from combustible materials. Large quantities can be collected and atomized in a suitable combustion chamber. Product should not be allowed to enter sewer due to explosion hazard.

WASTE DISPOSAL: Empty containers can have residues, gases and mists are subject to proper waste disposal. Dispose of all wastes in accordance with federal, state and local regulations.

---

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.